

I. Core curriculum completed at another institution.

Current system documentation (in SPEEDE Implementation document in Documents section of UT Austin SPEEDE page:
<http://registrar.utexas.edu/speede/>

- Complete at our inst:
- RAP/9TX/TXCORECURR/FULLCURRIC/R/Y! (in header section)

The proposed solution is still being discussed, and the Texas SPEEDE UG will need to decide which way to go. As of 6/14/12, here are two proposals. These will be posted to TACRAO and TX-SPEED listservs, perhaps after a bit more fine-tuning.

Proposal A for completion elsewhere:

- RAP/9TX/TXCORECURR/FULLCURRIC/R/Y! (as before)
- Add two formatted notes, also in the header section, but after any PCL Prev Coll segments):
- NTE/9TX/TXCORECOMPLCODE:qq:nnnnnn!
- NTE/9TX/TXCORECOMPLNAME:xxxxxxxxxxxxxxxxxxxx!

Where qq = institution qualifier (same as in N1 sender segment).

= 71 for IPEDS (probably not used by TX schools)

= 72 for ATP (ETS)

= 73 for FICE

= 74 for ACT.

and nnnnnn = institution code

and ! is whatever end of segment character you use (defined in ISA segment in outer envelope)

For example, if the core were completed at UT Austin, the coding would be:

RAP/9TX/TXCORRCURR/FULLCURRIC/R/!

and then

- NTE/9TX/TXCORECOMPLCODE:72:006882!
- NTE/9TX/TXCORECOMPLTNAME:University of Texas at Austin!

Proposal B for completion elsewhere: Use 3 RAP Segments rather than notes.

- RAP/9TX/TXCORECURR/FULLCURRIC/R/Y! (as before)
- RAP/9TX/TXCORECURR/FULLATCODE: qq:nnnnnn!
- RAP/9TX/TXCORECURR/FULLATNAME: xxxxx (up to 47 letters) xxx!

Where qq = institution qualifier (same as in N1 sender segment).

= 72 for ATP (ETS)

= 73 for FICE
= 74 for ACT.

and nnnnnn = institution code
and ! is whatever end of segment character you use (defined in ISA segment in outer envelope)

For example, if the core were completed at UT Austin, the coding would be:
RAP/9TX/TXCORRCURR/FULLCURRIC/R/!

and then

RAP/9TX/TXCORECURR/FULLATCODE:72:006882!

RAP/9TX/TXCORECURR/FULLATNAME: University of Texas at Austin!

II. For **Reverse Transfer Transcripts**. How to mark a transcript as being sent to the feeder school for Reverse Transfer purposes.

- SB3025 requirement – universities to send transcripts back to feeder JCCs under certain conditions.
- How to distinguish them from other transcripts?
- ERP02=B48 (sent at request of student) in most cases.
- **Proposed** for Reverse Transfer,
- Use ERP02=B50 (requested record being sent),
-
- plus, in header section, after any REF, DMG, IND, DTP, RAP and/or PCL segment . . .
- NTE/9TX/RT=ReverseTransferTranscript
-
- This goes just before the double N1 loop identifying sender & recipient.

III. To denote a specific destination:

This is covered a bit in section I.B.5 of the SPEEDE Implementation document found at the UT Austin SPEEDE site.

(A) use the N2 (additional name) segment immediately following the N1/AT/recipient? Segment.

Where N201 may be up to 35 characters, as may N202.

N1/AT/Southwestern University/73/003620!

N2/Human Resources/More Info –up to 35 characters/

OR (B) use the PER (admin Communications Contact) segment following the N1/AT/ (and following N2, N3, N4, if these are used).

Use PER01 = ZZ (mutually defined)

PER02 may contain up to 35 characters.

N1/AT/Southwestern University/73/003620!

N4/Georgetown/TX/78626!

PER/Human Resources!